



ANODAL® CLEANER NFO POWDER

Anodal Cleaner NFO Powder is a medium duty, non-silicate, non-foaming, alkaline soak cleaner that exhibits the following performance characteristics:

- Excellent for removing a wide variety of heavy oils and job soils.
- Especially recommended for bright parts.
- Does not attack parts.
- Leaves no smut.

PHYSICAL PROPERTIES:

Appearance: Free flowing powder

APPLICATION DETAILS:

Concentration: 4 - 8 oz/gal
Temperature: 120°F - 160°F
Time: 1 - 10 minutes
Equipment: Mild steel

CONTROL METHOD:

1. Place a 50 ml sample in a 250 ml beaker.
2. Add 8 - 10 drops of Methyl Orange Indicator and 50 ml D.I. water.
3. Titrate with 1.0 N Hydrochloric acid (HCl) to a red end point.

Calculations: **Anodal Cleaner NFO (oz/gal) = ml HCl x 0.53**

HANDLING PRECAUTIONS:

Anodal Cleaner NFO is slightly alkaline and could be irritating to some personnel. Rubber gloves should be worn when transferring this material to the processing tank.

WASTE DISPOSAL:

Anodal Cleaner NFO contains biodegradable wetting agents. Solutions of NFO may need pH adjustment in order to meet local ordinance standards prior to disposal.

Recommendations, notices or instructions as to handling, use, storage or disposal of this product, including its use alone or in combination with other products, or as to any apparatus or process for its use are based upon information believed to be reliable. No liability is taken with respect to any such recommendations or instructions. Sole and exclusive warranty is that products comply with published chemical and physical specifications as provided on the certificate of analysis. No other warranties, either express or implied are given.